
Alwyn New

Designer:

Chris Dickinson

Released:

2010

Weights:

Thin, Thin Italic
Light, Light Italic
Regular, Italic
Medium, Medium Italic
Bold, Bold Italic

Supported Languages:

Afrikaans, Albanian, Basque, Bemba, Bosnian, Catalan, Cornish, Croatian, Czech, Danish, Dutch, English, Esperanto, Estonian, Faroese, Filipino, Finnish, French, Galician, Ganda, German, Hungarian, Icelandic, Indonesian, Irish, Italian, Kamba, Kikuyu, Kinyarwanda, Latvian, Lithuanian, Luo, Malagasy, Malay, Maltese, Manx, Morisyen, North Ndebele, Norwegian Bokmål, Norwegian Nynorsk, Nyankole, Oromo, Polish, Portuguese, Romansh, Sango, Shona, Slovak, Slovenian, Somali, Spanish, Swahili, Swedish, Swiss German, Welsh, Zulu

AaBb AaBb
AaBb AaBb
AaBb AaBb
AaBb AaBb
AaBb AaBb

Thin

PYROPHYLLITES

MIELESTÄNI TEILLÄ ON SÖPÖ PRESIDENTTI

Grumpy wizards make toxic brew for the evil Queen and Jack

Light

GENERALIZABLE

HABLO ESPAÑOL COMO UN GRINGO BORRACHO

Grumpy wizards make toxic brew for the evil Queen and Jack

Regular

MARKETABILITY

AR THIT BRICRIU AR AN GCARN BRUSCAIR?

Grumpy wizards make toxic brew for the evil Queen and Jack

Medium

REINVIGORATED

NON, JE SUIS PASSIONNÉ PAR L'HUMOUR RACIAL CRÉTIN

Grumpy wizards make toxic brew for the evil Queen and Jack

Bold

TRUSTWORTHILY

BAILAS MUY BIEN, A DESPECHO DE TUS ENORMES NARANJAS

Grumpy wizards make toxic brew for the evil Queen and Jack

Thin Italic

WEIGHTLIFTING

ESTÁ BIEN, ESTÁ BIEN, VAMOS A VER A TUS PADRES

Grumpy wizards make toxic brew for the evil Queen and Jack

Light Italic

SYLVICULTURES

VEL OO ER CHUR SHEESE YN SKEDDAN AYD FOAST MLEEANEY?

Grumpy wizards make toxic brew for the evil Queen and Jack

Italic

MORPHOLOGISTS

ÉL RIMEL SE TE ESTÁ CAYENDO A PEDAZOS

Grumpy wizards make toxic brew for the evil Queen and Jack

Medium Italic

INTERMEMBRANE

MAAF, NONA. ADA BEBEK DI ATAS KEPALA ANDA

Grumpy wizards make toxic brew for the evil Queen and Jack

Bold Italic

DEPRESSURIZED

J'AIMERAIS BIEN UNE PETITE GÂTERIE, MA JOLIE

Grumpy wizards make toxic brew for the evil Queen and Jack

Sleep Tight

PARAPHERNALIA

fi x'ħin jiftaħ il-mużew?

COMMUNICABLENESSES

TAKE A DIVE

MIÉRT NEVET - ANNYIRA ROSSZUL BESZÉLEK MAGYARUL

Šūŋkawakĥāŋ kiŋ lé iwāču kte

brainstorm

GRANTSMANSHIP

EK SÉ SVANGAN MANN TAKA OST

ETIOLOGICALLY

Thin / Thin Italic - 9pt/12pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. *Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in. hose stream of water on it, the hose man standing at the lower end of the tank. The water and sand flow down the inclined bottom of the tank where the sand remains and the dirt flows over the gate and off with the water. It takes about an hour to wash a 3-cu. yd. batch, and by building a pair of tanks*

Light / Light Italic - 9pt/12pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. *Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in. hose stream of water on it, the hose man standing at the lower end of the tank. The water and sand flow down the inclined bottom of the tank where the sand remains and the dirt flows over the gate and off with the water. It takes about an hour to wash a 3-cu. yd. batch, and by building a pair of tanks*

Regular / Italic - 9pt/12pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. *Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in. hose stream of water on it, the hose man standing at the lower end of the tank. The water and sand flow down the inclined bottom of the tank where the sand remains and the dirt flows over the gate and off with the water. It takes about an hour to wash a 3-cu. yd. batch, and by building a pair of tanks*

Medium / Medium Italic - 9pt/12pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. *Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in. hose stream of water on it, the hose man standing at the lower end of the tank. The water and sand flow down the inclined bottom of the tank where the sand remains and the dirt flows over the gate and off with the water. It takes about an hour to wash a 3-cu. yd. batch, and by building a pair of*

Bold / Bold Italic - 9pt/12pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. *Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in. hose stream of water on it, the hose man standing at the lower end of the tank. The water and sand flow down the inclined bottom of the tank where the sand remains and the dirt flows over the gate and off with the water. It takes about an hour to wash a 3-cu. yd. batch, and by building a pair of*

Thin / Thin Italic - 12pt/15pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. *high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in.*

Light / Light Italic - 12pt/15pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. *high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in.*

Regular / Italic - 12pt/15pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. *high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in.*

Medium / Medium Italic - 12pt/15pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. *high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in.*

Bold / Bold Italic - 12pt/15pt

When the quantity of sand to be washed does not exceed 15 to 30 cu. yds. per day the simplest method, perhaps, is to use a hose. Build a wooden tank or box, 8 ft. wide and 15 ft. long, the bottom having a slope of 8 ins. in the 15 ft. The sides should be about 8 ins. *high at the lower end and rise gradually to 3 ft. in height at the upper end. Close the lower end of the tank with a board gate about 6 ins. in height and sliding in grooves so that it can be removed. Dump about 3 cu. yds. of sand into the upper end of the tank and play a 1-in.*

